

Previous : 1000000

20078-09 ✓
278/2, 1, 28
272-43
Later references

1909-10

(Municipal)

File No 176-09

Serial Nos. 4A A

20078-09 (7-10).

GENERAL AND REVENUE SECRETARIAT.

Serial Nos

4A 25 ✓

Part B for

February 1910

Subject

Levy of General water
Tax. Mysore city

4A. From Chief Engineer No.
DL 3.11.09 Submit Statement
showing the consumption of
water at various points
connections for which the fees
have been fixed because the order
G.R.S. 50 for levying the fees for extra 1/2 mile
from 1-1-10
to the time order No. 452472/1

~~San Francisco~~ States that no further
orders are necessary in the matter
Memo No: 6548 of 1.2.10 to President
forwards copy of the above ^{Memorandum} ~~order~~

1909-1910

(C)

GENERAL AND REVENUE SECRETARIAT

(M.L.)

NOTES.

File No. 676-09

FILE HEADING

Log of General water tax, Mysore City.

From

The Chief Engineer

No

—

Dated 3. 4. 09

Received 21 1. 10

Diary No. 6996

Enclos 1st 1st 2nd Spare Copies -

Serial No

BRIEF ABSTRACT OF LETTER.

Submits statement showing the consumption of water at Mysore from private connections for which orders have been issued and requests orders for taxing the fees for excess consumption with effect from the 1st January 1910.

NOTES AND ORDERS

Orders were issued yesterday directing the introduction of a 2 per cent general water rate in the Mysore City with effect from the 1st April 1910 and cancelling the levy of fees for special house water connections.

Notes—First sheet

Serial
No

2

now in force in the municipality under
the order of 1894 from that date

2 Now that the house service
connection rules in force in the
Bombarre City have been made
applicable to the Mysore City water
supply also and meters have been
fixed in the case of several private
connections, the Chief Engineer proposes
to introduce the system of levying fees
for excess water under rule 8 with effect from
1st Jan 1910 no separate orders on
this seem called for, as necessary
instructions have been already issued

(vide obs. 4x8 in sub. 78-09) It is
however submitted that the said rule
8 can be applied in the case of fresh
connections for which fees under the
order of 1894 are not recovered. As
regards those for which such fees
have been recovered, an additional
fee for excess water under rule 8
cannot be recovered. This can only be
done after the said order shall have
been cancelled. Draft letter informing
the Chief Engineer accordingly is sub. #

M. S. S.

21/1/10

Serial
No

Draft submitted for approval

Under the order of 1896, the reduction of the water-rate on special house - service connections was sanctioned temporarily till the settlement of the question of imposing a general water-rate. That order will cease to have force from the 1st April next under the order now issued. If the rate for the whole of the current year has been recovered in advance, that portion of it which has been recovered for the last quarter will perhaps have to be refunded, but this is a separate matter -

1st Cr) 25-1-10 2111

Approved 11/1/10
27/1/10

Given

27-1-10 2111

810
27-1-10

File No. 176 of 1909

(4)

Serial
No.
5

Letter no 6567 & 1. 2. 1909 to the
Chief Engineer -

States, in reply, that the levy
of fees for excess consumption of water
cannot run concurrently with the levy of
the tax for special private connections
in the City under the order of 1896 and
that the latter has been ordered to be
abolished from the date from which the
water-rate is levied i.e. from the
1st April 1909.

3195-
8 11. 89

Submitted to the Board
of Regs. for information
The statement speaks elo-
quently regarding the
present state of things.

Orders may issue to
Charge for excess water
from day 1st January 1900
As it is not likely that
the Municipality will
settle the question of water
rate before that, and as
till this is done, the free
allowance for each house
cannot once for all be
fixed, I would recommend
the D.P.W. being authorized
to fix the same tentatively
to facilitate the charging
for excess water. The quick
adoption of this measure,
will, I think tend to im-
prove the health of the
place by lessening the
saturated condition of a
large area over many
parts of the town -

Recommendations

Secy to the Govt of Mysore
Mr. Dept.
Camp Mysore }
3 11 89 }
6
(enclosed)

(1)

Doc No 596 dated 26-10-07 from
the Executive Engineer, Water Supply Dept
to the Chief Engineer of Mysore.

Mysore Water Supply.

Has the honor to submit herewith
a statement of water consumption in the
houses wherein meters have been fixed
for information of the Chief Engineer the
statement shows what large quantity
of water is wasted in Mysore.

The remarks in the remarks column
of the statement may be kindly perused
as they show the purposes for which
water is being used by Mr. Pallanage
and others.

No.	Name of House owner	Location of the House	Plotter's area in	Measure on	Compensation (last year's rent 200)	Remarks
1.	Mr B. Srinivasulu	Devani Road Bangalore	40.8.09	2.10.09	444.400	Collegiate Engineering School
2.	Mr B. Narayana Srinivas	— do —	58.09	2.10.09	141.610	—
3.	Mr. Srinivas Srinivas	— do —	58.09	2.10.09	79,050	Normal School, Bangalore
4.	Mr. Srinivas Srinivas	— do —	68.09	2.10.09	37,610	—

Bangalore
26.10.09 }

(True Copy)

Dr. P. Ranganatha Srinivas
Executive Engineer, Water Supply &
Sewerage, Bangalore

Bangalore
5.11.09 }

Being granted
To Chief Engineer & Bangalore
MSE

Handwritten signature

[illegible]

17	Mr. H. K. Ranganna	— do —	16.8.09	3.10.09	39,760	Passage, house & in the yard.
18	" A. C. Rangay Urs	Staffs Road	17.8.09	4.10.09	6,150	
19	" Lawrence	— do —	17.8.09	4.10.09	990	
20	" Bhikta Raji Govia	Magerbad main Road	18.8.09	4.10.09	4,450	
21	" Palayya Sait	Malyne Road	18.8.09	3.10.09	49,000	
22	" Savaldeo Jalimandale	Dodpet Road.	20.8.09	3.10.09	6,970	(3)
23	" Annapa Appagan	Old Post Office Road	6.9.09	3.10.09	12,080	
24	" Sri Jayamallikhan	Veeray Road	10.9.09	4.10.09	4,190	
25	" Ayachalkharayan Saktar (For)	Devapattana Street	25.9.09	5.10.09	3,260	
26	" Sivaraj Bommal	Santapet, Bangalore	26.9.09	5.10.09	2,330	

Sd. Y. Rangaswamy Engineer
Executive Engineer, Water Supply &
Stores Division, Bangalore

(True Copy)

Being granted
for Chief Engineer of Bangalore
M.S.

Bangalore
26.10.09 }

Bangalore
5.11.09. }

Consumption Statement

No.	Name of House Owner	Situation of the House	meter fixed on	Readings taken on	Consumption (last reading being zero)	Remarks
1.	M ^r B. Thirumalachar	Gowari Road, Mysore	4.8.09	2.10.09	244, 400	Colossal consumption of water for gardens & plantation
2.	M. S. Narayana Sengar	— do —	5.8.09	2.10.09	14, 610	
3.	Ramaswamy Sengar	— do —	5.8.09	2.10.09	79, 050	Normal School Students Home
4.	V. S. Narasimha Sengar	Venugoy. Road	6.8.09	2.10.09	37, 610	
5.	M. Rangaswamy Sengar	— do —	6.8.09	2.10.09	20, 830	
6.	M. Narayanaswamy Sengar	— do —	9.8.09	2.10.09	28, 410	
7.	M. Ramakrishna Rao	— do —	9.8.09	2.10.09	20, 750	
8.	M. S. Philip Sengar	— do —	10.8.09	2.10.09	15, 970	
9.	J. M. Sengar	— do —	10.8.09	2.10.09	9, 880	
10.	P. S. Sengar	Santapet Mysore	11.8.09	2.10.09	32, 260	
11.	S. S. Sengar	— do —	11.8.09	2.10.09	18, 880	
12.	M. S. Sengar	— do —	13.8.09	2.10.09	20, 000	
13.	S. S. Sengar	Milepost Road	14.8.09	4.10.09	26, 470	
14.	M. S. Sengar	— do —	14.8.09	3.10.09	5, 330	
15.	S. S. Sengar	M. S. Post Office Road	15.8.09	3.10.09	30, 150	
Total		all 15	11.8.09	1.10.09		

17	Mr. Halls Rangama	— do —	16.8.09	3 10.09	39,760	Passage, horse & on the yard.
18	" A.C. Barclay & Co Raffles	Shaffer Road	17.8.09	4.10.09	6,150	
19	" Lawrence	— do —	17.8.09	4.10.09	990	
20	Chittika Raji Govia	Magorbad main Road	18.8.09	4 10.09	4,450	
21	Palayya Sait	Malyne Road	18.8.09	3.10.09	49,000	
22	Sewakdas Jalimund Lal	Dodpet Road.	20.8.09	3.10.09	6,970	
23	Annapa Appagan	Old Post Office Road	6 9.09	3.10.09	12,080	
24	Mr. Rajmunda Allakhan	Veeray Road	10.9.09	4.10.09	4,190	
25	Ayachakharayan Sakti (Fort)	Sevapartwas Street	25.9.09	5 10.09	3,260	(3)
26	A. Sengar Bommal	Santapet, Bangalore	26.9.09	5 10.09	2,330	

Sd. Y. Rangaswamy Engineer
Executive Engineer, Water Supply &
Stores Division, Bangalore.

(True Copy)

Bangalore }
26 10.09 }

Bangalore }
5.10.09. }
Being granted
for Chief Engineer of Bangalore
M.S.

G.R.S. 20]

28/1/10

Diary No. of letter replied to 4996

General and Revenue Secretariat

(M.L.)
the 21 1. 1910

Date of issue 12 10 :-

Signed by M.L.M.

File No 176-
Serial No 109

No 6547
13/16-09-5

9/2 10

To The Chief Engineer of
Hyd. Engrs.

Sir,
With reference to your
note of the 3rd November 1909
to the Dewan suggesting the
introduction into the Hyd. Engrs.
of the system of levying fees
for water consumed from private
connections in excess of the
"free allowance" under rule 1
of the House Service Connection
rules with effect from the
1st Jan. 1910 pending the
introduction of a general
water rate in the Municipality,
I am directed to state that
no fresh orders in the matter

SUBJECT

& to invite your attention to the
 are necessary ~~inasmuch~~
 as necessary ~~inasmuch~~
 have already been conveyed
 in the marginally noted
 communications. I am
~~travelling~~ ~~to~~ ~~add~~ ~~that~~ ~~the~~
 City of fees for excess con-
 sumption of water cannot
 run concurrently with
 the City of the City for
 special private connections
 in the City under the
 order of 1896, which has
 been ordered to be cancelled
 with effect from the date
 from which the General
 water rate is introduced viz 1st April 1910
 (vide G.O. No 6087-9 &
 No. 1. 1910). ~~In the~~ ~~circumstances~~, excess water
 from private connections
 can be charged for only
 in the case of those con-
 nections that have not
 been ~~taken~~ ~~under~~ ~~the~~ ~~old~~
 rates

5
 11 8 1909
 (2) Memo No 2560
 14.9.09

2

Part of enclosure,
 No. 176-09-
 1. 1. 1910

Signed by
 Examined by

175-69

(3)

6

GRS 27]

GENERAL AND REVENUE
SECRETARIAT

(Continuation Sheet draft form)

~~Order of 1894~~

I herewith return the
file of papers received in
the above note

I have de

WV
27/1/10

WV
For Secy -
1/2/11

memo 6548
Copy forwarded to the
President, Mysore City Municipal
Council for information
"By order"

~~ad~~
27/1

WV
For Secy
1/2/11